	Hits	Search Text	DBs
1	19	(record\$5).ab. and (@pd<"20040623" or @ad<"20040623" or @rlad<"20040623" or @rlpd<"20040623")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	821	1 ` = 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	14	S2 and quality.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2	"6611812".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	4 4	S2 and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	in .	(record\$5).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	853	S6 and (decrypt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	239	S7 and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	56	S7 and (record\$6 with quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	95	S7 and (record\$6 same quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	536	(record\$5 with quality with level).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	18	(record\$5 with quality with level with predetermined).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13		(record\$5 with quality with (level or threshold)).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	10477	S6 and (open\$6 with (port or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	16600	S6 and (open\$6 with (port\$3 or device\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	8 -	S16 and (authoriz\$5 with open)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	14 / 8 1	S15 and (clos\$6 with (port or device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	9664	S6 and (open\$6 near5 (port\$3 or device\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	1781	S18 and (clos\$6 near5 (port or device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	6711	S6 and (open\$6 near3 (port\$3 or device\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	11 (17 )	S20 and (clos\$6 near3 (port or device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	21	S21 and (error adj2 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	2	(wavein near3 (device or port)) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	0	(waveingetnumbdevs) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	0	(waveingetnumbdevs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
26	0	(waveinget)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	12	(wavein)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	8	S27 and microsoft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	2	S23 and microsoft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
30	0	S31 and (compact adj2 flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
31	0	S31 and (smart adj2 flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	169	(smart adj2 flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	22	(smart adj2 flash) and (compact adj2 flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	(smart adj2 flash) and (compact adj2 flash) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	45	(smart adj2 flash) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	0	S37 and (compact adj3 flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	48	S30 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	48	(disk and cd and dvd and database and zip and flash) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	95	\$10 and record\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
40	33	S31 and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	65760 7	(record\$5).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	867	S41 and (decrypt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	97	S42 and (record\$6 same quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	97	S43 and record\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
45	97	S44 and (blocked or blocking or prevent\$5 or encrypt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	78	S44 and (prevent\$5).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47		(multimedia and device).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	516	(multimedia and device and input).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	3	(multimedia and device and input and (blocked or blocking)).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	25	(multimedia and device and input and (blocked or blocking or prevent\$6)).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	10	(multimedia and device and input).ab. and (blocked or blocking) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	16	(blocking near5 multimedia) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB